Dart Aerospace Ltd. Thursday, 8/23/2007 11:53:44 AM Kim Johnston User: **Process Sheet** : CU-DAR001 Dart Helicopters Services **Drawing Name** : DOUBLER Customer Job Number : 12952 **Estimate Number** Part Number : D32594 : NA P.O. Number : D3259 REV A1 : 8/23/2007 **Drawing Number** This Issue 📉 : N/A Project Number Prsht Rev. Type : SMALL /MED FAB **Drawing Revision** First Issue **Material** Previous Run : 9/15/2007 Qty: **Due Date** 6 Um: Written By Checked & Approved By New Issue 07-07-19 Verified By:EC : Est Rev:A Comment **Additional Product** Job Number: Description: Machine Or Operation: Seq. #: 2024-T3 .063 sheet M2024T3S063 1.0 Comment: Qty.: 1.4574 sf(s)/Unit Total: 224-13.0 2024-13 .032 sheet 02/08/26 M10492 Batch: FLOW WATER JET WATER JE Comment: FLOW WATER JET 1-Cut as per Dwg D3259 Dwg Rev: A) Prog Rev: A 1 mo 1/08/27 (x4)
INSPECT PARTS AS THEY COME OFF MACHINE 3.0 QC2 SAD Comment: INSPECT PARTS AS THEY COME OFF MACHINE

Comment: SMALL & MEDIUM FAB RESOURCE 1

1-C'Sink Holes as per Dwg D3259 / PASS 0.019" Drill to open his MF 07-09-01

SMALL & MEDIUM FAB RESOURCE 1

SECOND CHECK

4.0

QC8

Comment: SECOND CHECK

SMALL FAB 1

Each

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES							
DATE	STEP	PROCEDURE CHANGE	By \ Date	Qty	Approval Chief Eng / Prod Mgr	Approvai QC Inspector			
02/50/2	8 <u>t</u> (.8	Change wat, thekos & match Duy. 333 D3259-3-4 Z02473-063 not 202473	- 632	-		S 36 50 25			

Part No:	PAR #:	Fault Category:	NCR: Yes No	DQA:	Date: 0/09/25
			QA: N/C	Closed:	Date:

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
D.4.T.E	0777	Description of NC		Corrective Action Section B	Verification		A			
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector		
			·							
								` ,		
								``		


NOTE: Date & initial all entries

Thursday, 8/23/2007 11:53:44 AM Date: User: 🕽 Kim Johnston **Process Sheet Drawing Name: DOUBLER** Customer: CU-DAR001 Dart Helicopters Services Job Number: 34252 Part Number: D32594 Job Number: Description: Seq. #: Machine Or Operation: NC BRAKE BRAKE NC 6.0 Comment: NC BRAKE 1-Form as per Dwg D3259 INSPECT WORK TO CURRENT STEP QC5 7.0 WORK TO CURRENT STEP HAND FINISHING RESOURCE #1 8.0 Comment: HAND FINISHING RESOURCE #1 Chemical Conversion Coat as per QSI 005 4.1 INSPECT POWDER COAT/CHEMICAL CONVERSIO 9.0 QC3 POWDER COAT/CHEMICAL CONVERSION PACKAGING RESO 10.0 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: FINAL INSPECTIONW/O RELEASE 11.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE n 070925 Job Completion

6

Dart Ae	rospace	Ltd							
W/O:			W	ORK ORDER CHANGES					
DATE	STEP	PRO	DCEDURE CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No		DAD #.	Fault Cata	NO.	D. V	No DO	<u> </u>	D-4	
Part NO	•	PAR#:	_ rault Cate	egory: NC					
					QA: N	/C Close	d:	Date:	
NCR:		W	ORK ORD	ER NON-CONFORMANCE	(NCR	()			
DATE	0.750	Description of NC		Corrective Action Section B		Verific	ation	Approval	Approval
DATE	STEP	Section A Ini		Action Description Chief Eng	Sign & Date	Secti		Chief Eng	QC Inspector
							1		
			i]

NOTE: Date & initial all entries





THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.





DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
CHECKED	APPROVED	DRAWING NO.	REV. A	
AH.	9	D3259	SHEET 2 OF 6	
DATE		TITLE	SCALE	
04.02.25		ACCESS PANEL ASSEMBLY	1:4	





D3259-1 PANEL

SHOP COPY RETURN TO ENGINEERING

NOTES:

- 1) MATERIAL: 2024-T3 (QQ-A-250/4) 0.032 THICK (M2024T3S.032)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE INCHES
- BREAK ALL SHARP EDGES 0.005 TO 0.010

INCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE

WORK ORDER


Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.





DESIGN	DRAWN BY	DART AEROSPACE HAWKESBURY, ONTARIO, CAI	
CHECKED	APPROVED	DRAWING NO. D3259	REV. A SHEET 3 OF 6
DATE		TITLE	SCALE
04.02.25		ACCESS PANEL ASSEMBLY	1:4



D3259-3 DOUBLER BEND DETAIL (SHOWN)

BEND D3259-4 DOUBLER (OPPOSITE)



D3259-3/-4 NOTES:

- 1) MANUFACTURE PER "D2359-A4.DWG"
- 2) MATERIAL: 2024-T3 (QQ-A-250/4) 0.063 THICK (M2024T3S.063) 3) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED SHOP COPY
- 5) ALL DIMENSIONS ARE INCHES
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010

RETURN TO **ENGINEERING**

UNCONTROLLED COPY

SUBJECT TO AMENDMENT WITHOUT NOTICE


Copyright © 2004 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.





(DESIGN	DRAWN BY	DART AEROSPACI HAWKESBURY, ONTARIO, CA	
7	CHECKED ,/	APPROVED	DRAWING NO.	REV. A
	#	- A	D3259	SHEET 4 OF 6
	DATE	<u></u>	TITLE	SCALE
	04.02.25		ACCESS PANEL ASSEMBLY	1:4





D3259-3/-4 DOUBLER FLAT PATTERN

(Ø0.098 HOLES TO COINCIDE WITH HOLES IN D3259-1)

SHOP COPY RETURN TO **ENGINEERING** UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE

WORK ORDER


Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN	DRAWN BY	DART AEROSPACE HAWKESBURY, ONTARIO, CAI	
CHECKED	APPROVED	DRAWING NO.	REV. A SHEET 5 OF 6
DATE		TITLE	SCALE
04.02.25		ACCESS PANEL ASSEMBLY	1:4





D3259-5 SPACER

(Ø0.098 HOLES TO COINCIDE WITH HOLES IN D3259-1)

NOTES:

SHOP COPY

m ioi

RETURN TO ENGINEERING

1) MANUFACTURE PER "D3259-A5.DWG"

- 2) MATERIAL: 2024-T3 (QQ-A-250/4) 0.032 THICK (M2024T3S.032)NCONTROLLED COPY
- 3) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 SUBJECT TO AMENDMENT
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

WITHOUT NOTICE

5) ALL DIMENSIONS ARE INCHES

6) BREAK ALL SHARP EDGES 0.005 TO 0.010

WORK ORDER NO 34252

Copyright @ 2004 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.





DESIGN	DRAWN BY	DART AEROSPACE HAWKESBURY, ONTARIO, CAI	
CHECKED	APPROVED	DRAWING NO.	REV. A
─₩		D3259	SHEET 6 OF 6
DATE		TITLE	SCALE
04.02.25		ACCESS PANEL ASSEMBLY	1:4





NOTES:

- 1) MANUFACTURE PER "D3259-A6.DWG"
- 2) MATERIAL: 2024-T3 (QQ-A-250/4) 0.063 THICK (M2024T3S.063)
- 3) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE INCHES
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010

SHOP COPY
RETURN TO
ENGINEERING
NCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE

WORK ORDER

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Description: Double/ Part Number: 732594

Inspection Dwg: D32594 Rev: A1 Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
9.000	+1.0.010	9,000	/		Ven	
1,000 (Pitch)	+1.0.010	1.002	~		Vern	
0.760	+1.0.010	0.266	1		Verz	
6.900	+1-0.010	6.906	V		Vern	
00:098	+0.00U -0.001	\$0.098	/		Vern	
\$0.377	10:00 5-0.001	BO. 380	1		Uern	
Ø 0, 128	+0.605/0.001	\$6.131	/		Vern	
3.500	+1-0.010	3.503	~		Vern	
0.875	11-0.017	0.878	V		Vern	
5,000	th 0.010	5.002			Vern	
1.000 (Pitch)	+1. 0.010	1,002			Vern	
12.000	+4 0.010	12,003	/	·	Vern	
1.000 (Pitch	1-0.010	1.003		,	Vern	!
11.750	th 0-010	11.252	<i>✓</i>		Veva	
0.815	+1=0.010					
1.300	+1.0.010	1.310	~		Vern	
0.063	41-0.010	6,063	✓		Vern	

<u> </u>					
Measured by:	SAD	Audited by:		Prototype Approval:	MA
Date:	07/08/26	Date:	04/06/07	Date:	10111
Rev Date	Change			Revised	by Approved

KJ/JLM

New Issue